Total number of printed pages-7 (1)

R TO WILL TO

3 (Sem-5/CBCS) ZOO HC 1

(4)

2023

· lo mideritaria zoology : Of the

(Honours Core)

Paper : ZOO-HC-5016

(Molecular Biology)

Full Marks : 60

Edition Time: Three hours

The figures in the margin indicate full marks for the questions.

- 1. Choose the correct answer: 1×7=7
 - (i) The number of base pairs present in each turn of B-form of DNA helix is

Ibl Factoriuctese

(c) Phriodxidase

- (a) 9
- (b) 12
- (c) 11
- (d) 10

BIKALI COLLEGE LIBRARY

- (ii) In eukaryotes, the TATA box sequences required for initiation of transcription are present in
 - (a) 10 nucleotides upstream of transcription start site (TSS)
 - (b) 25 nucleotides upstream TSS
 - (c) 10 nucleotides downstream TSS
 - (d) 25 nucleotides downstream TSS
- (iii) The enzyme responsible for photoreactivation of DNA is

almost of a twinter with all manually said

- (a) Photoligase
 - (b) Photoreductase
 - (c) Photooxidase
 - (d) Photolyase

- (iv) The nucleotide cap that is attached at the 5' end of mRNA during capping is
 - (a) 5-methyl guanosine
 - (b) 7-methyl guanosine
 - (c) 5-acetyl guanosine
 - (d) 7-acetyl guanosine
- (v) Which of the following reaction is required for proofreading during DNA replication by DNA polymerase III?
 - (a) 5' to 3' exonuclease activity
 - (b) 3' to 5' endonuclease activity
 - (c) 3' to 5' exonuclease activity
 - (d) 5' to 3' endonuclease activity
 - (vi) Removal of intron is called as
 - (a) Splicing a service toward &.
- るにもxる (b) Capping
- to skeed (c) RNA editing as our strik (a)
 - (d) All of the above

A1799

JE,

3.

200	Which of the following amino acids has the highest number of codons?
	(a) Proline
	(b) Leucine
	(c) Tryptophan
	(d) Aspartic acid
1.00	e short notes on the following: 2×4=8
(a)	Pyrimidine dimerization
(b)	Split genes
	'Clover Leaf Model' of t-RNA
(d)	Gene silencing
Ans	wer any three from the following: 5×3=15
(a)	Write the steps involved in synthesis of

rRNA.

- (b) Write a note on the structural features of a prokaryotic ribosome.
- (c) Write a brief account on the mechanism of mRNA splicing in eukaryotes.

out of standard to our sat percent

elong, Lon and termination. 2-8-10

the in portence of representing factors

- (d) What is RNA editing? Write the role of editosome and guide RNA (gRNA) in insertion/deletion type of RNA editing. 1+4=5
- (e) Write the difference between short interfering RNA (siRNA) and micro RNA (miRNA).
- 4. (a) Why is DNA replication known as 'high-fidelity' reaction? Briefly explain the mechanism of DNA replication in eukaryotes.

01=8+2 m faction and col. 2+1+7=10

(b) Wate a note of O estimation leatures

- (b) What are protein synthesis inhibitors?

 Discuss the role of inhibitors in the regulation of various stages of protein synthesis.

 2+8=10
- 5. (a) What do you mean by degeneracy of the genetic code? Briefly explain the mechanism of translation of mRNA in prokaryotes with an elaborate discussion on translation initiation, elongation and termination. 2+8=10

(a) Write the diam or between start

- (b) Briefly discuss the process of transcription in prokaryotes. Mention the importance of transcription factors in transcription process. 8+2=10
- 6. (a) What are inducers and co-repressors?

 What is an operon constituted of?

 Briefly explain the lactose (lac) operon
 in Escherichia coli. 2+1+7=10

es "bign (Jelly) mention? Backy

BIKALI COLLEGE LIBRARY

Or

(b) Describe the characteristic features of two classes of aminoacyl-tRNA synthetases. Explain the process of interaction between the two classes of aminoacyl-tRNA synthetases and their corresponding tRNAs. 4+6=10